














OBIEKT :				WYKAZ STALI nr 1									
ELEMENT : SCHODY TERENOWE				NR RYSUNKU : K1 STRONA 1 z 1									
				DATA: 27 maj 2021									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIIN RB500W			
						6	8	8	10	12	16	20	6
1	A-IIIIN	12		1,94	32					62,1			
2	A-0	6		1,22	36	43,9							
3	A-0	6		0,92	36	33,1							
4	A-IIIIN	8		3,2	36			115,2					
5	A-IIIIN	8 kat 23		1	39			39,0					
6	A-IIIIN	8		1,2	13			15,6					
7	A-IIIIN	8		2,73	18			49,1					
8	A-IIIIN	8		1,9	44			83,6					
10	A-IIIIN	12		3,68	4					14,7			
11	A-IIIIN	12		1,8	4					7,2			
12	A-IIIIN	12		4,35	4					17,4			
13	A-0	6		0,88	8	7,0							
14	A-0	6		1,24	28	34,7							

mb kg kg kg <b>kg</b>	119	0	303	0	101	0	0	0
	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
	26	0	119	0	90	0	0	0
	26		209					
	236							

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoad A wg PN-EN ISO 3766:2005)